

# GOLD NOTE



## il suono italiano

### RETAIL PRICE LIST

Valid from May 2020

Rev. 2020-05-12

NAME	TURNTABLES	FINISHES	PRICE €
MEDITERRANEO with B7 Ceramic	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut enables the best rigidity and frequency control – Black Vinyl ultra dampened 45mm thick Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – acrylic DC and B-7 Ceramic arm included	Gold Leaf	7.350,00
		Italian Walnut Hardwood	6.850,00
MEDITERRANEO	Belt driven Turntable made of triple isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black painted MDF enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Gold Leaf	6.490,00
		Italian Walnut Hardwood	5.990,00
		Black/White Lacquer	5.490,00
GIGLIO	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood	4.190,00
		Black/White Lacquer	3.790,00
PIANOSA	Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Stainless steel board and machined curved Italian hardwood walnut or black painted MDF for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12Volt electronic PSU and Speed Control – included B5.1 and DC	Italian Walnut Hardwood	2.890,00
		Black/White Lacquer	2.590,00
VALORE PLUS 425 + Walnut/Acrylic/Leather/ Silver Foil Plated	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9" B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Walnut real veneer, Full Acrylic or Leather, Silver Plated	1.590,00
VALORE PLUS 425 + Black Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9" B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control	Black/White Lacquer	1.390,00

VALORE 425 LITE Black Lacquer	Belt driven rigid Turntable made of 30mm MDF plinth – MDF/Vinyl Platter – Supplied with 9" arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU	Black/White Lacquer	895,00
	<b>TONE ARMS</b>		
B-7 Ceramic	9" – custom made Ceramic Ball Bearing by GRW - Titanium & Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		1.750,00
B-5.1	9" - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA - 242mm Effective Length – 10g Effective Mass		890,00
	<b>PHONO CARTRIDGES</b>		
TUSCANY Gold	<b>MC</b> phono cartridge – 0.25mV - Mass 11g – Tracking Weight 1.8/2.1g - 4Ω - 5-55.000Hz. - Compliance 10x10-6cm/dyne - Boron Cantilever - Micro Ridge Stylus - Silver coils - Suggested Load: >50Ω		7.500,00
TUSCANY Red	<b>MC</b> phono cartridge – 0.35mV - Mass 11g - Tracking Weight 1.8/2.1g - 20Ω - 10-50.000Hz. - Compliance 10x10-6cm/d - Boron Cantilever - Micro Ridge Stylus - Suggested Load: 470Ω		4.800,00
<b>new</b> MACHIAVELLI Gold mkII	<b>MC</b> phono cartridge – 0.4mV - Mass 10g - Tracking Weight 1.8/2.1g - 30Ω - 10-40.000Hz - 10x10-6cm/dyne - Boron Cantilever - Line Contact Stylus - Suggested Load: 470Ω		2.750,00
<b>new</b> MACHIAVELLI Red mkII	<b>MC</b> phono cartridge – 0.5mV - Mass 10g - Tracking Weight 1.8/2.1g - 40Ω - 10-40.000Hz - 10x10-6cm/dyne - Aluminum Cantilever - Micro Elliptical Stylus - Suggested Load: 470Ω		1.590,00
DONATELLO Gold	<b>MC</b> phono cartridge – 0.5mV - Mass 7g - Tracking Weight 1.8/2.1g - 40Ω - 10-40.000 Hz - Compliance 12x10-6cm/dyne - Aluminum Cantilever - Micro Elliptical Stylus - Suggested Load: 470Ω		990,00
DONATELLO Red	<b>MC</b> High-Output phono cartridge – 1.8mV - Mass 7g - Tracking Weight 1.8/2.1g - 140Ω - 10-35.000Hz - Compliance 12x10-6cm/dyne - Aluminum Cantilever - Micro Elliptical Stylus - Suggested Load: 47kΩ		690,00
VASARI Gold	<b>MM</b> phono cartridge - 4mV - Mass 9g - Tracking Weight 2.0g - 1000Ω - 15-25.000Hz – Elliptical Tip - Suggested Load: 47kΩ		350,00
VASARI Red	<b>MM</b> phono cartridge - 4mV - Mass 7g - Tracking Weight 2.0g - 1000Ω - 15-25.000Hz – Spherical Tip - Suggested Load: 47kΩ		195,00
ES-78	<b>MM</b> phono cartridge - 4mV - Mass 5g - Tracking Weight 2.0g-1000ohm - 15-25.000 Hz – Spherical Tip		95,00
	<b>PHONO PREAMPLIFIERS</b>		
<b>new</b> PH-1000	<b>MM &amp; MC</b> ultra low noise – two separate RCA Inputs + one MC XLR Input - RCA and XLR balanced Output – 6 positions selectable Gain -9db to +6db – 12 Selectable load 10/100kohm and variable – 12 Equalization curves with enhanced + 4 – Graphical Color display – MC 65dB MC and MM 40dB (variable) <b>Optional:</b> Pure Class A preamp - PSU1250/1000 - TUBE1012/1006		9.600,00  Pure Class A preamp stage 3.900,00
PH-10	<b>MM &amp; MC</b> – two separate RCA Inputs - RCA and XLR balanced Output – 4 positions selectable Gain -3db/0db/+3dB/+6db – 9 Selectable load 10/47kohm – 3 Equalization curves with enhanced – Graphical Color display – MC 65dB MC and MM 45dB (variable)		1.390,00

PH-1	<b>MM &amp; MC</b> – single RCA Input - RCA Output – MC 65dB MC and MM 45dB selectable via internal micro switches		595,00
------	--	--	--------

<b>CD PLAYER</b>			
CD1000 <b>Deluxe</b>	Super Linear Dual-Mono power supply with high-end D/A convert Burr Brown <b>PCM1792A</b> – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with <b>USB</b> , 1x coax, 1 Optical – <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		4.800,00
CD-1000 mkII	Super Linear Dual-Mono power supply – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with 1x coax, 1 Optical - <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		3.990,00
<b>DAC</b>			
DS-1000 mkII	Wi-Fi and LAN 24/192 DAC & Network Player able to handle computer and NAS devices - iOS and Android App - Internet radio - 2x USB Host ports DSD D/A Converter USB, TOS and Coax Input <b>Optional:</b> PSU1250/1000 and TUBE1012/1006		4.800,00
<b>new</b> DS-10 PLUS	Wi-Fi and LAN 24/192 Bluetooth 5.0 DAC & Streamer able to handle computer and NAS devices - iOS and Android App - Internet radio - 2x USB Host ports, compatible with ROON, Tidal, Qobuz, Deezer, Airplay, Spotify, V-Tuner DSD D/A Converter USB, 2x TOS, Coax Input and AES/EBU <b>STEREO ANALOGUE INPUT:</b> 3.5mm mini jack		2.890,00
<b>new</b> DS-10	Wi-Fi and LAN 24/192 Bluetooth 5.0 DAC & Streamer able to handle computer and NAS devices - iOS and Android App - Internet radio - 2x USB Host ports, compatible with ROON, Tidal, Qobuz, Deezer, Airplay, Spotify, V-Tuner DSD D/A Converter USB, 2x TOS, Coax Input and AES/EBU		2.490,00

<b>SUPER INTEGRATED AMPLIFIERS</b>			
IS-1000 <b>Deluxe</b>	125 x ch. 8Ω – 3x TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control – <b>DAC BB PCM1792A</b>		5.190,00
<b>new</b> IS-1000 LINE <b>Deluxe</b>	125 x ch. 8Ω – 3x TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In – Fixed and variable output - Damping Factor adjustment – 3 position Booster control – <b>DAC BB PCM1792A</b>		4.790,00
IS-1000	125 x ch. 8Ω – 3x TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In Phono MM/MC convertible – Fixed and variable output- Damping Factor adjustment – 3 position Booster control		4.390,00
<b>new</b> IS-1000 LINE	125 x ch. 8Ω – 3x TOS 1 coax 1 USB-A input, LAN/WLAN, All Streaming service – Analogue input XLR, 2x RCA Line, AV-In – Fixed and variable output - Damping Factor adjustment – 3 position Booster control		3.990,00
<b>POWER AMPLIFIER</b>			

PA-1175 mkII	Stereo 200watt/8ohm per channel power amplifier fully balanced selectable RCA or XLR output – in Mono 520watt per channel @ 8Ω – Adjustable Damping Factor		5.500,00
new PA-10	Stereo 75watt/8ohm per channel power amplifier fully balanced RCA and XLR output – in Mono 300watt ch.@8Ω & 600watt ch.@4Ω – Adjustable Damping Factor – Self Switch On/Off – XLR output		1.390,00
	<b>LINE PREAMPLIFIER</b>		
new P-1000 mkII	High resolution 6 gain fully balanced separated Line Preamplifier featuring Resistor-Relays optical volume control. INPUT: 4pr RCA or 4pr XLR – PRE OUT: 2pr RCA & 2pr XLR <b>DELUXE:</b> optional features premium grade components and PSU <b>Optional:</b> PSU1250/1000 and TUBE1012/1006	<b>DELUXE</b>	7.500,00 6.500,00
	<b>TUBE STAGES</b>		
TUBE-1012	<b>Class A Tube output Unit</b> – Tube stage matches all 1000 series sources and preamplifier featuring Multiple inductive Power supply powering 12 tube Tube output stage enhancing audio performance.		5.600,00
TUBE-1006	<b>Class A Tube output Unit</b> – Tube stage matches all 1000 series sources and preamplifier featuring Dual Mono powered 6 tube Tube output stage enhancing audio performance.		3.250,00
	<b>EXTERNAL POWER SUPPLIES</b>		
PSU-1250	Super External Inductive multi transformer 1250watt Power Supply matches all 1000 series sources and preamplifiers.		5.500,00
PSU-1000	Super External Inductive 1000watt Power Supply matches all 1000 series sources and preamplifiers.		3.190,00
new PSU-10 EVO	Super External Inductive Power Supply to match the DS-10 and DS-10 PLUS DAC/Streamer		1.100,00
PSU-10	Super External Inductive Power Supply to match the PH10 phono preamplifier		950,00
PSU-1	Super External Inductive Power Supply to match the PH1 phono preamplifier		690,00
PST-10	Super External Inductive Power Supply to match all Gold Note Turntables		950,00
PST-1	Special External Power Supply to match all 18V Gold Note Turntables		180,00

	<b>LOUDSPEAKERS</b>		
XS-85	Two modules 3 way QB3 N.4 design - 2 Nextel paper woofers 22cm + 2 Nextel paper midrange 15 cm + 1 special custom soft dome tweeter with double aluminium treated chamber - Super Recessed Curved front panels – Double structure highly dampened reinforced structure – 89dB	Grand Piano Black, White or Walnut side panels	38.200,00 pair
XT-7	3 way tower – 1 Ribbon Tweeter – 1x5” Woven hardened Polypropylene Mid - 2x6” Woven hardened Polypropylene Woofer - 38Hz-25kHz – Bi-wiring GN binding posts – 90dB	Glossy Black, White or Matt Walnut side panels	13.500,00 pair

A6 EVO	88dB - 4Ω - 3way rear/bottom bass reflex tower – 1" dome Tweeter - 2x5" Mid-Woofer – 6,5" symmetrical subwoofer - 40Hz-20kHz – Diamond shaped lacquered side panels – Weight 35Kg/ea. Dimensions: 1080mm Height - 230mm Large - 285mm Deep - Stand 290mm Large x 445mm deep	Black Glossy	5.950,00 pair
		Walnut Glossy	6.500,00 pair
A3 EVO	86dB rear bass reflex- 8Ω - 2way bookshelf 35cm tall, 19cm large, 28,5cm deep – 1" dome Tweeter - 6" Mid-Woofer - 45Hz-20kHz – Diamond shaped lacquered side panels – Weight 10Kg/ea. Dimensions: 350mm Height - 230mm Large - 285mm Deep -	Black Glossy	3.500,00 pair
		Walnut Glossy	3.800,00 pair
STAND EVO	Dedicated A3 EVO stand made of painted MDF and Aluminium – Weight 20Kg/pr. Dimensions: 750mm H - 290mm L - 445mm D		990,00 pair

	<b>C A B L E S</b>		
FIRENZE USB	<b>USB</b> - (A-B) True balanced & isolated design		120,00 1m.
FIRENZE ETHERNET	<b>ETHERNET</b> - CAT6 True isolated design		150,00 2m.
PHONO CABLE Plus	<b>Phono Cable Gold Note</b> – Gold Note DIN/RCA Rhodium nickel-free Tone Arms Fully Balanced Extra Shielded Phono Cable Solid Core Hybrid Design Silver & Copper sealed oiled design XLR balanced connectors available on request		450,00 1,5m
PHONO CABLE	<b>Phono Cable Gold Note</b> – Gold Note DIN/RCA dedicated Tone Arms Shielded Phono Cable 100% OFC Stranded Copper		195,00 1,5m.
			280,00 2,5m.
LUCCA AC mkII	<b>Power Cord Cable Gold Note</b> – Gold Note IES/Schuko or US Plug dedicated special AC Power cord Cable 100% OFC Stranded Copper		195,00 1,5m.

Via della Gora, 6 - Montespertoli FLORENCE - ITALY 50025 - VAT IT 05751200485

Tel.+39-0571-675005 Fax.+39-0571-675013 email: info@goldnote.it web: www.goldnote.it